

Linnet





Linnet (male)

Linnet (female)

Scientific name: Linaria cannabina

Bird family: Finches

UK conservation status: Red

Protected by The Wildlife and Countryside Act 1981

Linnet song audio

:

Sander Bot, Xeno-canto

Key information

A small, slim finch, widely distributed and once very popular as a cage bird because of its melodious song. Males are attractively marked with crimson foreheads and breasts, females much browner. It has an undulating flight, usually twittering as it flies and may be seen in large flocks during the winter.

Linnet numbers have dropped substantially over the past few decades, with the UK population estimated to have declined by 57 per cent between 1970 and 2014. The latest Breeding Bird Survey results show a decrease in all countries.

What they eat:

Seeds and insects.

Measurements:

Length: 13.5cm Wingspan: 21-25.5cm Weight: 15-22g

Population:



UK (the Ointer it dries number of pairs breeding annually. UK wintering is the number of individuals present from October to March. UK passage is the number of individuals passing through on migration in spring and/or autumn.

ldentifying features:

This bird species has different identifying features depending on sex/age/season.

Linnet (male)

Feather colour: Black Brown Cream/buff Grey Pink/purple Red White

Leg colour: Brown

Beak: Black Brown Short Chunky

Natural habitats: Farmland Grassland Heathland Urban and suburban

Linnet (female)

Feather colour: Black Brown Cream/buff Grey White

Leg colour: Brown

Beak: Black Brown Short Chunky

Natural habitats: Farmland Grassland Heathland Urban and suburban

Similar birds:

Lesser redpoll
Lesser redpoll
Mealy redpoll
Common redpoll
Twite illustration

Twite

Where and when to see them

While widespread across the UK, there are concentrations of linnets along the east coast from Kent to Aberdeenshire, but they are scarce in upland regions and north west Scotland. Look for them on commons, heathland, rough ground, farmland hedges, saltmarshes and in parks and gardens.

* This map is intended as a guide. It shows general distribution rather than detailed, localised populations.

Resident

Passage

Summer

Winter

Linnet distribution

You can spot linnets all year round.

This bird can be seen in the UK in: jan feb mar apr may jun jul aug sep oct nov dec

RSPB reserves

RSPB Winterbourne Downs
RSPB Culbin Sands